

Certificate of Analysis

ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-000052-LIC



MANUFACTURER:

Incognito Beverages LLC 15640 woodvale rd Einca 91436 Encino, California 91436

SAMPLE INFORMATION					
Sample No.:	1189553				
Product	Cucumber Mint Lemonade				

Edible (Beverage)

CML-02

.

Date Collected: 01/19/2024 Date Received: 01/19/2024 Date Reported: 01/24/2024

EST	SU	MN	ЛAF	۲Y

Name:

Matrix:

T

Cannabinoid Profile:	V Pass
Pesticide Residue Screen:	Pass
Heavy Metal Screen:	Pass
Mycotoxin Screen:	Pass

Microbiological Screen:	🔮 Pass
Residual Solvent Screen:	🔮 Pass
Foreign Material:	🕑 Pass

01/24/2024

Cannabinoid Prof	ile 🔮 Pass
Method:	MF-CHEM-15
Instrument:	Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Detection 0.0008 mg/g Limit of Quantification 0.0025 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/package	Labeled mg/package	% Difference (mg/ package)	Status
Δ8-THC	ND	ND	ND	ND	-	-	-
Δ9-THC	0.0148	0.00148	0.0152	5.39	5	7.76	Pass
Δ9-THCA	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	-	-	-
CBD	0.0143	0.00143	0.0147	5.21	5	4.12	-
CBDA	ND	ND	ND	ND	-	-	-
СВС	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	-	-	-
CBG	ND	ND	ND	ND	-	-	-
CBGA	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	-	-	-
Total CBD	0.0143	0.00143	0.0147	5.21	-	-	-
Total Cannabinoids	0.0291	0.00291	0.0298	10.59	-	-	-
Sum of Cannabinoids	0.0291	0.00291	0.0298	10.59	-	-	-
Package Weight (g)	364.0525						
g/ml Conversion	1.0255						

Conversion Factor

Total THC = Δ 9-THC + (0.877 * Δ 9-THCA) Total CBD = CBD + (0.877 * CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen Service Pass

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/25g	Pass
STEC	3M MDS STEC	Negative/25g	Pass

Pesticide Residue Screen 🔮 Pass

MF-CHEM-13 Method:

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass

Anresco Laboratories www.anresco.com

1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1189553

Page 1 of 4 Report ID: S-3

01/24/2024

01/24/2024

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



Certificate of Analysis

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid				
	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
•		ND		
Propoxur	0.02/0.06		0.02	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
I				
Thiamethoxam	0.02/0.06	ND	4.5	Pass

Sample #: 1189553

Page **2** of **4** Report ID: S-3

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



Residual Solvent Screen 📀 Pass

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

01/24/2024

01/24/2024

01/24/2024

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	<loq< td=""><td>5000</td><td>Pass</td></loq<>	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	1200.00	5000	Pass
Ethylacetate	67/200	ND	5000	Pass
Ethylether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

Heavy Metal Screen **O** Pass

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Foreign Material 🔮 Pass

Method: MF-MACRO-5

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Mycotoxin Screen SPass

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1189553

Page **3** of **4** Report ID: S-3

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



Certificate of Analysis

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection







Sample #: 1189553

Page **4** of **4** Report ID: S-3

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.